



KWAZULU-NATAL PROVINCE
EDUCATION
REPUBLIC OF SOUTH AFRICA

**NATIONAL
SENIOR CERTIFICATE**

GRADE 10

**MATHEMATICS
COMMON TEST
MARCH 2023**

MARKS: 75

TIME: 1½ hours

Stanmorephysics

This question paper consists of 5 pages.

INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.

1. This question paper consists of 4 questions.
2. Answer ALL the questions.
3. Number the answers correctly according to the numbering system used in this question paper.
4. Clearly show ALL calculations, diagrams, graphs, etc. which you have used in determining your answers.
5. Answers only will NOT necessarily be awarded full marks.
6. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
7. If necessary, round off answers correct to TWO decimal places, unless stated otherwise.
8. Diagrams are NOT necessarily drawn to scale.
9. Write neatly and legibly.



QUESTION 1

1.1 If $x \in \{-2; 2; 4; 5\}$, choose the value of x from the given set that will make the expression

of $\sqrt{\frac{18}{4-x}}$ be:

1.1.1 rational (1)

1.1.2 undefined (1)

1.1.3 irrational (1)

1.1.4 non-real (1)

1.2 Between which two consecutive natural numbers does $\sqrt[3]{40}$ lie. Show all your working out and do so without the use of a calculator. (2)

1.3 Factorise the following expressions fully;

1.3.1 $x^4 - 16$ (2)

1.3.2 $6z^2y - 10zy + 15z - 25$ (3)

1.4 Simplify the following expressions fully;

1.4.1 $(m - 4n)(m^2 + 4mn + 16n^2)$ (2)

1.4.2 $\left(2x - \frac{3}{x}\right)^2$ (2)

1.4.3 $\frac{x^2 - 4x}{x^3 - 1} - \frac{1}{x - 1} - \frac{2}{x^2 + x + 1}$ (5)

1.5 Determine without the use of a calculator: $\frac{2023}{2022^2 - 1}$ (2)

[22]

QUESTION 2

2.1 Solve for x :

2.1.1 $3x^2 = 5x + 12$ (3)


2.1.2 $\left(\frac{1}{2}\right)^{x-1} = 128$ (3)

2.1.3 $3x^{\frac{5}{4}} = 96$ (3)

- 2.2 Solve the inequality $-3 < 1 - 2x \leq 7$
Hence, illustrate your answer on a number line if x is a real number. (4)
- 2.3 Solve for x and y simultaneously if:
 $x + 3y + 5 = 0$
 $3x - 2y = -4$ (5)
- 2.4 The product of two numbers x and y is 60 and their sum is 15. Show that $\frac{1}{x} + \frac{1}{y} = \frac{1}{4}$. (5)
- [23]

QUESTION 3

- 3.1 In $\triangle ABC$, $\hat{C} = 90^\circ$ and $\hat{B} = \theta$, $AC = 7$ units, $BC = 5$ units and $AB = \sqrt{74}$ units.




Use the diagram above to write down the value of : (Leave your answer in surd form)

- 3.1.1 $\cos \theta$ (1)
- 3.1.2 $\cot \theta$ (1)
- 3.1.3 $\operatorname{cosec}^2 \theta$ (2)
- 3.1.4 Hence or otherwise, determine the size of θ (correct to TWO decimal places). (2)



3.2 In the diagram below, $Q(x; y)$ is a point in the second quadrant. $\widehat{ROQ} = \theta$ and $13\sin\theta = 12$.



Make use of the diagram above to:

- 3.2.1 determine the value of x . (2)
 - 3.2.2 calculate the value of $\sec\theta$. (1)
 - 3.2.3 calculate the value of $5\tan\theta + 1$ (2)
- [11]**

QUESTION 4

4.1 Solve for x where $0^\circ \leq x \leq 90^\circ$, in each of the following equations. Give your answer correct to TWO decimal places.

4.1.1 $\tan 3x = 5,75$ (2)

4.1.2 $\operatorname{cosec}(x - 35^\circ) = 7,814$ (3)

4.1.3 $\frac{\cos(2x + 10^\circ)}{3} = 0,159$ (3)

4.2 If $\hat{A} = 70^\circ$ and $\hat{B} = 40^\circ$, use your calculator to evaluate the following (correct to ONE decimal place).

4.2.1 $\tan(A+B)$ (2)

4.2.2 $\sin^2 A$ (2)

4.2.3 $\sqrt[3]{2 \sec \frac{3B}{2}}$ (2)



4.3 Without the use of the calculator, showing all your working, determine the value of:

$$\frac{\cot^2 60^\circ \cdot \tan 45^\circ \cdot \sin 30^\circ}{\cos 60^\circ}$$

(5)

[19]
TOTAL [75]



KWAZULU-NATAL PROVINCE

EDUCATION
REPUBLIC OF SOUTH AFRICA



**NATIONAL
SENIOR CERTIFICATE**

GRADE 10

**MATHEMATICS
COMMON TEST
MARCH 2023
MARKING GUIDELINE**


MARKS: 75

This marking guideline consists of 5 pages.




Stanmorephysics




QUESTION 1


1.1.1	$x = 2$	✓ answer	(1)
1.1.2	$x = 4$	✓ answer	(1)
1.1.3	$x = -2$	✓ answer	(1)
1.1.4	$x = 5$	✓ answer	(1)
1.2	$\sqrt[3]{27} < \sqrt[3]{40} < \sqrt[3]{64}$ $= 3 < \sqrt[3]{40} < 4$	✓ radical form ✓ answer	(2)
1.3.1	$= (x^2 - 4)(x^2 + 4)$ $= (x - 2)(x + 2)(x^2 + 4)$	✓ both factors ✓ both factors	(2)
1.3.2	$= 2zy(3z - 5) + 5(3z - 5)$ $= (2zy + 5)(3z - 5)$	✓ ✓ each term ✓ answer	(3)
1.4.1	$= m^3 + 4m^2n + 16mn^2 - 4m^2n - 16mn^2 - 64n^3$ $= m^3 - 64n^3$	✓ simplification ✓ answer Answer only: full marks	(2)
1.4.2	$= \left(2x - \frac{3}{x}\right)\left(2x - \frac{3}{x}\right)$ $= 4x^2 - 12 + \frac{9}{x^2}$	✓ expansion ✓ answer	(2)
1.4.3	$= \frac{x^2 - 4x}{(x-1)(x^2+x+1)} - \frac{1}{x-1} - \frac{2}{x^2+x+1}$ $= \frac{x^2 - 4x - x^2 - x - 1 - 2(x-1)}{(x-1)(x^2+x+1)}$ $= \frac{-5x - 1 - 2x + 2}{(x-1)(x^2+x+1)}$ $= \frac{1 - 7x}{(x-1)(x^2+x+1)}$	✓ factorisation of difference of cubes ✓ ✓ finding the LCD and the simplification of the numerator ✓ simplification ✓ answer	(5)
1.5	$= \frac{2022+1}{(2022-1)(2022+1)}$ $= \frac{1}{2021}$	✓ factorising a denominator ✓ answer	(2)
1.5	Let 2022 be: x $= \frac{x+1}{(x-1)(x+1)}$ $= \frac{1}{2021}$	OR  ✓ factorisation ✓ answer	(2)
			[23]

QUESTION 2


2.1.1	$3x^2 - 5x - 12 = 0$ $(3x + 4)(x - 3) = 0$ $x = -\frac{4}{3}$ or $x = 3$ 	✓ standard form ✓ factorisation ✓ answer	(3)
2.1.2	$(2^{-1})^{x-1} = 2^7$ $2^{-x+1} = 2^7$ $x = -6$	✓ exponential form ✓ simplification ✓ answer	(3)
2.1.3	$x^{\frac{5}{4}} = 32$ $x = (2^5)^{\frac{4}{5}}$ $x = 2^4$ $x = 16$	✓ dividing $\checkmark (2^5)^{\frac{4}{5}}$ ✓ answer	(3)
2.2	$-4 < -2x \leq 6$ $-3 \leq x < 2$ 	✓ transposing ✓ dividing ✓ answer ✓ number line	(4)
2.3	$x + 3y + 5 = 0 \dots \dots \dots \rightarrow (1)$ $3x - 2y = -4 \dots \dots \dots \rightarrow (2)$ From equation (1) $x = 3y - 5 \dots \dots \dots \rightarrow (3)$ Substitute eq. (3) into eq. (2) $3(-3y - 5) - 2y = -4$ $-9y - 15 - 2y = -4$ $y = -1$ $x = -3(-1) - 5$ $x = -2$ $(-2; -1)$ OR $x + 3y + 5 = 0 \dots \dots \dots \rightarrow (1)$ $3x - 2y = -4 \dots \dots \dots \rightarrow (2)$ Multiply eq. (1) by -3 $-3x - 9y = 15 \dots \dots \dots \rightarrow (3)$ $3x - 2y = -4 \dots \dots \dots \rightarrow (2)$ Add eq. (2) and eq. (3)	✓ making x the subject of the formula ✓ substitution ✓ simplification ✓ y -value ✓ x -value  ✓ multiplying by -3 ✓ eliminating x	(5)

	$-11y = 11$ $y = -1$ $x + 3(-1) + 5 = 0$ $x = -2$ $(-2; -1)$ 	✓ simplification ✓ y -value ✓ x -value	(5)
2.4	Let the first number be: x and the second number be: y $xy = 60 \dots \dots \dots \rightarrow (1)$ $x + y = 15 \dots \dots \dots \rightarrow (2)$ the sum of their reciprocals is $\frac{1}{x} + \frac{1}{y} = \frac{y+x}{xy}$ since $x + y = 15$ and $xy = 60$ $\therefore \frac{1}{x} + \frac{1}{y} = \frac{15}{60} = \frac{1}{4}$ \therefore the sum of their reciprocals is $\frac{1}{4}$.	✓ equation 1 ✓ equation 2 ✓ adding reciprocals ✓ finding the LCD ✓ substitution	(5)
			[23]

QUESTION 3

3.1.1	$\cos \theta = \frac{5}{\sqrt{74}}$	✓ answer	(1)
3.1.2	$\cot \theta = \frac{5}{7}$	✓ answer	(1)
3.1.3	$\operatorname{cosec}^2 \theta = \left(\frac{\sqrt{74}}{7} \right)^2 = \frac{74}{49}$	✓ substitution ✓ answer Answer only: full marks	(2)
3.1.4	$\cos \theta = \frac{5}{\sqrt{74}}$ $\theta = 54,46^\circ$	✓ ✓ answer	(2)
3.2.1	$x^2 = (13)^2 - (12)^2$ (Pythagoras) $x = -5$	✓ substitution ✓ answer 	(2)
3.2.2	$\sec \theta = -\frac{13}{5}$	✓ answer	(1)
3.2.3	$5 \tan \theta + 1 = 5 \left(-\frac{12}{5} \right) + 1 = -11$	✓ substitution ✓ answer	(2)
			[11]

QUESTION 4

4.1.1	$3x = 80,13^\circ$ $x = 26,71^\circ$ 	✓ $80,13^\circ$ ✓ answer Answer only: full marks	(2)
4.1.2	$\frac{1}{\sin(x-35^\circ)} = 7,814$ $\sin(x-35^\circ) = \frac{1}{7,814}$ $x = 42,35^\circ$	✓ $\frac{1}{\sin(x-35^\circ)}$ ✓ cross multiplication ✓ answer	(3)
4.1.3	$\cos(2x+10^\circ) = 0,477$ $2x+10 = 61,51^\circ$ $x = 25,76^\circ$	✓ $\cos(2x+10^\circ) = 0,477$ ✓ $2x+10 = 61,51^\circ$ ✓ answer	(3)
4.2.1	$= \tan(70^\circ + 40^\circ)$ $= -2,7$	✓ substitution ✓ answer Answer only: full marks	(2)
4.2.2	$= (\sin 70^\circ)^2$ $= 0,9$	✓ substitution ✓ answer	(2)
4.2.3	$= \sqrt[3]{\frac{2}{\cos\left(\frac{3(40^\circ)}{2}\right)}}$ $= 1,6$	✓ substitution ✓ answer	(2)
4.4	$= \frac{\left(\frac{\sqrt{3}}{3}\right)^2 (1)\left(\frac{1}{2}\right)}{\left(\frac{1}{2}\right)}$ $= \frac{1}{3}$	✓ $\left(\frac{\sqrt{3}}{3}\right)^2$ ✓ (1) ✓ $\left(\frac{1}{2}\right)$ ✓ $\left(\frac{1}{2}\right)$ ✓ answer	(5)
			[19]

TOTAL: 75

